

**CB**  
300R

NEO  
SPORTS  
CAFÉ

My**CB**  
My**MOVE**





The Neo Sports Cafe puts Japanese craftsmanship to work and brings together the two main components one looks for in a bike - style and performance. Adding a modern twist to the retro cafe-racer style, the new CB300R is built to give its rider the perfect BigBike to show-off all of his unique moves.

Our dashing ride is ready to embrace a sustainable future, adhering to OBD-2A standards. Its bold new look contrasts brushed alloy radiator shrouds with a blacked-out engine and an underslung, upswept exhaust. The all-new steel tubular frame and stout-looking, 41mm upside down front forks provide agile handling as well as character. And with all LED round headlamp, tailamp and indicators, this bike is made to be seen as its rider stands out everywhere.



### ROUND SHAPE THIN LED HEADLIGHT

Built-in horseshoe-shaped light guide. It reflects an global and advanced naked bike image.



### FULLY DIGITALIZED LCD METER

The minimalistic instrument panel positioned perfectly to get all information in quick glance.



### EMERGENCY STOP SIGNAL

The Emergency Stop Signal technology helps keep you safe if you ever need to hit the brakes unexpectedly. The system detects sudden braking and automatically activates the front and rear hazard lights, which flash to warn any nearby vehicles.



### UPSIDE-DOWN FRONT SUSPENSION AND HUBLESS FLOATING DISC

CB300R comes with 41mm golden upside down forks that provide excellent balance in all road conditions. Additionally, the 4-pot radial-mounted calipers with 296mm hubless floating disc for front brakes provide confidence in braking at any speed. Not to forget the first-in-class 'Inertial Measurement Unit (IMU) system' in its Dual Channel ABS ensuring improved braking.



### ASSIST SLIPPER CLUTCH

The assist function makes sure that the clutch lever has lesser load, and the slipper function reduces unpleasant shocks caused by sudden engine braking when downshifting.



### HAZARD SWITCH

The flashing indicator lights are an important safety feature for emergency stops & for low visibility conditions.



**Bigwing Bengaluru North**  
No 5 Rmv Extension Bellary Road  
Bengaluru  
Tel: 8105570624  
Mob: 8792922287





**MATTE MASSIVE GREY**



**PEARL SPARTAN RED**

## TECHNICAL SPECIFICATIONS

### BODY DIMENSIONS

Length	2017mm
Width	802mm
Height	1047mm
Wheel base	1352mm
Ground clearance	157mm
Kerb weight	146kg
Seat length	627mm
Seat height	801mm
Fuel tank capacity	9.7 L

### TRANSMISSION

Clutch type	Multi-plate wet clutch
No. of gears	6 gears

### FRAME AND SUSPENSION

Frame type	Diamond type
Front suspension	USD
Rear suspension	7-Step adjustable monoshock

### ENGINE

Type	Liquid-cooled, 4 Stroke, SI, BS-VI Engine
Displacement	286.01cc
Max engine output	22.9 kW @ 9000 rpm
Max torque	27.5 N-m @ 7500 rpm
Fuel system	PGM-FI
Bore x stroke	76.0 X 63.043 mm
Compression ratio	10.7:1
Starting method	Self start

### ELECTRICALS

Battery	12V, 6.0 Ah
Headlamp	LED

### TYRES AND BRAKES

Tyre size & type (front)	110/70 R17 M/C 54H (Tubeless)
Tyre size & type (rear)	150/60 R17 M/C 66H (Tubeless)
ABS	2 Channel ABS with IMU
Brake type & size (front)	Disc 296mm
Brake type & size (rear)	Disc 220mm

***Honda BigWing***  
—EXCITES THE WORLD—

**Honda Motorcycle and Scooter India Pvt. Ltd.,**

**Registered Office:** Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram (Haryana) – 122050, India

**Customer Care:** [customercare@honda2wheelersindia.com](mailto:customercare@honda2wheelersindia.com) **Website:** [www.hondabigwing.in](http://www.hondabigwing.in)

Follow us on: [f](#) [y](#) [i](#) [t](#) Honda BigWing India | [i](#) [t](#) BigWingIndia

The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • CB300R meets OBD-2A norms • Product shown in the picture may vary from actual product available in the market • All features and colours may not be part of all variants • \*\*Conditions apply • Creative visualisation • Riding shots are shot in a controlled environment under expert supervision.